



INDUSTRIAL ENCLOSURE SOLUTIONS

comercial@delvalle.es | www.delvallebox.com

# ALUMINIUM FREE-STANDING ENCLOSURE TRIBECA SERIES IP66



ANTICORROSIVE  
GUARANTEE





## WE PUT AT YOUR DISPOSAL

We offer over **45 years** providing solutions to demanding customers who require very specific characteristics and behaviour according to the sector and their needs.

## WHEREVER YOU GO

We are committed to working closely with our customers, providing them with **exceptional service** and offering an advanced and extensive range of products with very competitive prices.

## HIGH STANDARD OF QUALITY AND SERVICES

We only use materials provided by companies who offer the very **highest quality**, suitable and certified products. Our success is due to top quality assurance: ISO 9001, SGS, UL, TÜV, ISO 14000 and Ohsas 18001.

## CUSTOMIZE TOTALLY YOUR ENCLOSURE

Our production systems can give custom-made solutions **on demand**. Every colour from RAL chart is available to be personalized. A variety of protection standards thanks to our own painting facilities.



**100%**  
*Entirely designed  
and manufactured  
in Europe*

## CONTACT US

Confidentiality, reliability & quality

[www.delvallebox.com](http://www.delvallebox.com)

[comercial@delvalle.es](mailto:comercial@delvalle.es)

+34 945 601 381

ALSO ONLINE

Please contact our technical sales department

A team of professionals with high experience and ability to solve all your queries



# ALUMINIUM FREE-STANDING ENCLOSURE

## TRIBECA SERIES IP66



Example

**Light Enclosure With  
a Weight Three Times  
Less Than a Normal One**

Tribeca Series compact electric cabinet with an improved design, robust, easy to open by rotating handle with four locking points, smoothly opening, easy installation on the floor itself, visibility, maximum working width and made in aluminum painted RAL 7035.

The only enclosure in the market in aluminum and with large sizes.

The monobloc allows sealing to IP65 and IK7 resistance. Available in one or two revolving doors 120° and easily removable. Socket for cable entry cover recommended.

[FOR MORE INFORMATION CLICK HERE](#)



## APPLICATIONS

Specially designed for the placement of automation, machine control, counters, heating, air conditioning, control systems, electrical distribution, industrial networks, the industrial environment...

Electric enclosure approved for wind industry, solar, transformers, telecommunications and outdoors, given its advantages of durability and resistance against external agents.



ANTICORROSIVE  
GUARANTEE

## OPTIONS

- Custom made based on your needs.
- With a choice of two doors (from 1200mm width).
- Finished in textured on request paint RAL.
- Roof protection from sun, rain,...
- Transparent polycarbonate door.
- Transparent door with safety glass.
- Cable entry cover.
- Mounting plate insulator (bakelite) or stainless steel.
- EMC version according to 2014/30/UE of electromagnetic compatibility.

## ADVANTAGES


- Large space in the interior.
- Light enclosure with a weight three times less than a normal one.
- Delivered with protective film that prevents scratches during handling.
- Monobloc design that guarantees more tightness and corrosion resistance.
- With drainage canal that prevents liquid contact with polyurethane gasket and concealed hinges.
- 120° door opening. Standard opening to the left, specify if it is preferred rightward.
- The electrical panel comes standard with handle lock with four locking points and concealed hinges made of stainless steel.
- Delvalle made by order any size that suits your needs and all drilling holes, both in the door and the enclosure.

## NORMATIVE

- To IP66 (IP55 two doors)  
Norm IEC EN 62208 EN 60529.
- Maximum IK7 resistance  
Norm IEC 62208 and EN 50102.
- Manufactured following EU low voltage ruling 2014/35/UE.  
UL approval Nema 4, 12, 3r, 1.  
N° File E342220.

## PLAN

➔ [CLICK HERE TO DOWNLOAD THE FILES CAD - PLANS - CERTIFICATES](#)



## REFERENCES 1 DOOR

REFERENCES		DIMENSIONS (mm)		
BLIND DOOR	POLYCARBONATE DOOR	HEIGHT - A -	WIDTH - B -	DEPTH - C -
MVALCI66040	MVALCTI66040	1650	600	400
MVALCI68040	MVALCTI68040	1650	800	400
MVALCI61040	MVALCTI61040	1650	1000	400
MVALCI86040	MVALCTI86040	1800	600	400
MVALCI88040	MVALCTI88040	1800	800	400
MVALCI88050	MVALCTI88050	1800	800	500
MVALCI81040	MVALCTI86050	1800	1000	400
MVALCI81050	MVALCTI88050	1800	1000	500
MVALC206040	MVALCT206040	2000	600	500
MVALC208040	MVALCT208040	2000	800	400
MVALC208050	MVALCT208050	2000	800	500
MVALC201040	MVALCT201040	2000	1000	400
MVALC201050	MVALCT201050	2000	1000	500

Version: Normative UL Nema 4x, 12, 3r and I Add "UL" to the reference. Ex "MVALCI66040 UL"

Separation depth plate 20mm

## REFERENCES 2 DOORS

REFERENCES		DIMENSIONS (mm)		
BLIND DOOR	POLYCARBONATE DOOR	HEIGHT - A -	WIDTH - B -	DEPTH - C -
MVALCI61240	MVALCTI61240	1650	1200	400
MVALCI81240	MVALCTI81240	1800	1200	400
MVALCI81250	MVALCTI81250	1800	1200	500
MVALC201240	MVALCT201240	2000	1200	400
MVALC201250	MVALCT201250	2000	1200	500
MVALC201440	MVALCT201440	2000	1400	400
MVALC201450	MVALCT201450	2000	1400	500
MVALC201640	MVALCT201640	2000	1600	400
MVALC201650	MVALCT201650	2000	1600	500

Version: Normative UL Nema 4x, 12, 3r and I Add "UL" to the reference. Ex "MVALCI66040 UL"

Separation depth plate 20mm

## CUSTOMIZED ENCLOSURE SOLUTIONS DELVALLE

*Delvalle has more than 50 years of experience using the latest technology to implement and obtain the most innovative products on offer to all our customers. Delvalle is an ideal partner, combining an advanced and wide range of products at very competitive prices.*

*The customized manufacture of all electrical enclosures and cabinets Delvallebox is carry out with the most advanced technical methods and with the precision and consciousness of a craftsman. This makes the difference from competitors and is the best way to gain our customers' trust.*

*In Delvallebox we bear in mind that customers perceive the quality very clearly. In every product (for instance, in the cabinets here presented) safety and useful solutions are what customers value most.*



STAINLESS STEEL  
INDUSTRIAL ENCLOSURES



OUTDOOR ELECTRICAL  
ENCLOSURES



GLOBAL ELECTRICAL  
SOLUTIONS FOR URBAN AREAS



GALVANIZED STEEL  
ELECTRICAL ENCLOSURES



## ATEX INDUSTRIAL ENCLOSURES




SLOPED ROOF ENCLOSURES - HYGIENIC



## INDUSTRIAL ENCLOSURES IP66, IP67, IP68 AND IP69K

Buy direct from manufacturer of custom made IP66, IP67, IP68 and IP69K heavy duty industrial and waterproof electrical enclosures AISI 304L and 316L made by standard IEC 60529. Delvalle has tested all sizes and dimensions of waterproof enclosures according to EN 60529:2018. All weather resistant enclosures are more than simply rainproof, they meet a minimum of Nema 4X and IP66, IP67, IP68 and IP69k requirements to ensure your electronics are protected. From Junction boxes to industrial enclosures, Delvalle weatherproof enclosures offer a wide range of sizes and styles to keep your project waterproof.



## CLIMATE CONTROL COOLING FOR ENCLOSURES



CABLE GLANDS FOR ELECTRICAL ENCLOSURES





Paso del Prao, 6. 01320 Oyón (Álava). Spain  
Phone +34 945 601 381  
comercial@delvalle.es | [www.delvallebox.com](http://www.delvallebox.com)  
**Contact us, we will be available at any time**

