

Enclosures & Cabinets for Special Requirements comercial@delvalle.es | www.delvallebox.com

OUTDOOR TELECOM 19 RACK STORM SERIES P66







We offer over **45 years** providing solutions to demanding customers who require very specific characteristics and behaviour according to the sector and their needs.

HIGH STANDARD OF QUALITY AND SERVICES

We only use materials provided by companies who offer the very **highest quality**, suitable and certified products. Our success is due to top quality assurance: ISO 9001, SGS, UL, TÜV, ISO 14000 and Ohsas 18001.

WHEREVER YOU GO

We are committed to working closely with our customers, providing them with **exceptional service** and offering an advanced and extensive range of products with very competitive prices.

CUSTOMIZE TOTALLY YOUR ENCLOSURE

Our production systems can give custom-made solutions **On demand.** Every colour from RAL chart is available to be personalized. A variety of protection standards thanks to our own painting facilities.

CONTACT US Confidentiality, reliability & quality

www.delvallebox.com comercial@delvalle.es +34 945 601 381

ALSO ONLINE

Please contact our technical sales department.

A team of professionals with high experience and ability to solve all your queries.





OUTDOOR TELECOM 19 RACK STORM SERIES P66



Example

Large Space Inside for Rack Equipments

Outdoor Storm Series enclosure, designed to be placed in urban or interurban areas, protecting the electronic equipment needed for lighting, signage and video surveillance. Its application range is extended with external telecommunication installations, telephones, computers, weather stations and any other application that needs extra protection. The Storm Series is characterized by its high resistance to corrosion and wear, ideal for placement in cities and highways, spacious interior; thanks to its construction, it achieves greater width and height than the rest. Provided with approved water repellent injected seals on exterior doors allowing for tightness and stabilising an ideal temperature for placement in areas of extreme temperature or hostile weather environments. Made of stainless steel AISI 304L (EN 14306) wiyh polyester paint finish, and features a handle made of a material highly resistant to vandalism and forced openings. The interior design allows easy placement of racks, mounting plates or separators.

FOR MORE INFORMATION CLICK HERE



OUTDOOR TELECOM 19 RACK STORM SERIES IP66



Our Storm Series, design, finishing and sealing make it ideal for outdoor use.

As its name suggests its placement is usually on roads, signalling or lighting, and use in weather stations, telecommunications, telephones, fibre optics and video surveillance in urban or interurban areas.



- Very good mechanical properties and high resistance to shape distorsion.
- With water repellent injected seal.
- Door retained with stoppers. •
- The enclosure includes anti-vandalism locks and handles suitable for semicylindrical profile locks.
- Maintenance free for life over 30 years.
- Delvalle can adapt this design to the measurements required by the client, retaining the fundamentals of insulation, sealing and safety.
- Strength, durability and long life.
- High resistance to vandalism. •
- Specially designed for urban and interurban areas, storms or highways.
- High resistance to corrosion and wear.
- Large space inside for Rack equipments.
- Two versions: galvanized steel and painted galvanized steel.



- Designs and pictures available on request.
- Plinths at base for enclosures of any size. They allow enclosures to stand over the floor, with extra room for cable entry. Available 100mm (standard) and 200mm high.
- Stainless steel AISI 316L, EN 1.4404.
- Ventilation KIT (Fan, resistance heating and dual thermostat)
- Graffiti-proof protective paint
- EMC version according to 2014/30/UE of electromagnetic compatibility.

OPTION SUN REFLECTIVE TREATMENT COATING "SUNTERM" FOR OUTDOOR ELECTRICAL ENCLOSURES

SunTerm treatment coating for use in outdoor electrical enclosures, contain a reflective component that deflects the infrared light, and thus the half of the sun's total energy, from any substrate that it coats. As a result, the surface of the substrate, and any interior ambient that it protect, are cooler than a standard coating.



As a treatment solution SunTerm also gives you high corrosion resistant for outdoor environments. Temperature Outdoor Resistant -40°C +80 °C.

Test under lab controlled conditions showed that the aluminum substrate being coated with SunTerm is 7oC cooler than coated with standard coating inside.



OUTDOOR TELECOM 19 RACK STORM SERIES 1966

Outdoor cabinet antiposter, specially designed for public lighting, urban furniture, city hall, shopping centers, buildings...

Its design with rumble strips prevents the sticking of posters. It is also aesthetically more elegant

Available in two materials: aluminium and galvanized steel with Epoxy - polyester paint.



Example

Delvalle advises in all Storm Series, the following components:

• Roof (standard series)

PLINTHS AT BASE



DOOR RETAINER



- Plinths at base (optional)
- Rack support (optional)





RACK SUPPORT



REFERENCE TROI ACOI

After studying the requirements that our customers demand in ventilation issues, Delvalle includes a kit of accessories consisting of the following elements:

• Roof fan



Temperature variations inside control cabinets and housings, especially when installed outside, lead to condensation of water and consequently to malfunction and corrosion

Resistance heating



Placing a fan at the top of the cabinet brings a continuous ow of air inside

• Dual thermostat



The electromechanical humidistat which automatically controls the humidity inside the electrical panels, sends the signal to the fan or heater









FLAT AND VENTILATED ROOF OR SEALED OPTION



- From IP54 to IP65 Norm EN 62208 and EN 60529.
- Maximum IK10 resistance Norm IEC 62208 and EN 50102.
- En 61969-3 Mechanical Structures for Electronic Equipment outdoor enclosures -.
- IEC 60068-2-30 and IEC 60068-2-11.
- Built to CE standards 2014/35/UE.
- UL Nema 4x, 12, 1, 3r by request. N° File E342220.
- Shock resistant against sharp objects EN 60439-5.
- RoHs compliant.
- Maximum voltage 1000 V.
- Temperature resistant: -40°C +100°C (short time +160°C).
- Option silicone gasket: from -60°C to +180°C (short time up to +350°C).




OUTDOOR TELECOM 19 RACK STORM SERIES 1966


-

1014

	PLAN	
	FRONT DOOR	SELF-COOLED AND WITH VENTILATION BRACKETS
<	Î	

FRONT AND REAR DOOR







REF	ERENCES	DIMENSIONS (mm)			
STAINLESS STEEL	STAINLESS STEEL FRONT AND REAR DOOR	HEIGHT -A-	WIDTH -B-	DEPTH -C-	RACKS
RD606040	RD606040P	600	600	400	12 U
RD606050	RD606050P			500	
RD606060	RD606060P			600	
RD606080	RD606080P			800	
RD126040	RD126040P	1200		400	24 ∪
RD126050	RD126050P			500	
RD126060	RD126060P			600	
RD126080	RD126080P			800	
RD146040	RD146040P	- 1450 -		400	30 U
RD146050	RD146050P			500	
RD146060	RD146060P			600	
RD146080	RD146080P			800	
RD148040	RD148040P		800	400	
RD148050	RD148050P			500	
RD148060	RD148060P			600	
RD148080	RD148080P			800	
RD196040	RD196040P	- - - - -	600	400	40 ∪
RD196050	RD196050P			500	
RD196060	RD196060P			600	
RD196080	RD196080P			800	
RD198040	RD198040P		800	400	
RD198050	RD198050P			500	
RD198060	RD198060P			600	
RD198080	RD198080P			800	





Consult us without obligation

Confidentiality, reliability & quality

DELVALLE OFFERS OTHER SOLUTIONS

FOR MORE INFORMATION CLICK HERE

www.delvallebox.com comercial@delvalle.es +34 945 601 381 ALSO ONLINE





Consult us without obligation

Confidentiality, reliability & quality

DELVALLE OFFERS OTHER SOLUTIONS

► FOR MORE INFORMATION CLICK HERE

www.delvallebox.com comercial@delvalle.es +34 945 601 381 ALSO ONLINE





Enclosures & Cabinets for Special Requirements





Paso del Prao, 6. 01320 Oyón (Álava). Spain P. +34 945 601 381 www.delvallebox.com - comercial@delvalle.es Contact us, we will be available at any time



