



comercial@delvalle.es | www.delvallebox.com

LIMIT SWITCHES FOR ELECTRICAL ENCLOSURES





WE PUT AT YOUR DISPOSAL

We offer over **45 years** providing solutions to demanding customers who require very specific characteristics and behaviour according to the sector and their needs.

WHEREVER YOU GO

We are committed to working closely with our customers, providing them with **exceptional service** and offering an advanced and extensive range of products with very competitive prices.

HIGH STANDARD OF QUALITY AND SERVICES

We only use materials provided by companies who offer the very **highest quality**, suitable and certified products. Our success is due to top quality assurance: ISO 9001, SGS, UL, TÜV, ISO 14000 and Ohsas 18001.

CUSTOMIZE TOTALLY YOUR ENCLOSURE

Our production systems can give custom-made solutions **on demand**. Every colour from RAL chart is available to be personalized. A variety of protection standards thanks to our own painting facilities.



100%
*Entirely designed
and manufactured
in Europe*

CONTACT US

Confidentiality, reliability & quality

www.delvallebox.com

comercial@delvalle.es

+34 945 601 381

ALSO ONLINE

Please contact our technical sales department

A team of professionals with high experience and ability to solve all your queries



LIMIT SWITCHES FOR ENCLOSURE



Example

Quick Installation

Thanks to the limit switch for electrical enclosures we get a perfect control cabinet lighting and energy savings by preventing any expenses incurred by the forgetting of light off.



Installation example

➔ [FOR MORE INFORMATION CLICK HERE](#)

CHARACTERISTICS

REFERENCE MVLC260I - LIMIT SWITCHES FOR ELECTRICAL ENCLOSURES

	Lever type	Plunger type	Roll arm lever type
Electrical rating	AC-15 : 3A / 240VAC	DC-13 : 0,27A / 250VDC	Nema A300, Q300
Direct opening travel (min)	50°	3,2mm	5,8 mm: horizontal 4,8 mm: vertical
Direct opening force (min)	20N	20N	20N
Adequation operating speed	1 to 500 mm/s		
Maximum operating frequency	30 cycles/min.		
Short circuit protective device	Use 10A fuse, type gI or gG, in accordance with IEC60269		
Dielectric Strength (Uimp)	4kV (between terminals with different polarity)		
Protection against electric shock	Classe II (double isolation)		
Resistance to vibrations	10 to 55Hz, 0,75mm lenght		
Resistance to blow	300 m/s ² min.		
Enclosure rating	IP67 (EN60947-5-1) ,Type 4X indoor use only (UL , CSA)		
Ambient temperature range	-30°C to +70°C (protect against frost)		
Cable	AWG 20 to 18 (0,5 to 0,75 mm ²)		

CUSTOMIZED ENCLOSURE SOLUTIONS DELVALLE

Delvalle has more than 45 years of experience using the latest technology to implement and obtain the most innovative products on offer to all our customers. Delvalle is an ideal partner, combining an advanced and wide range of products at very competitive prices.

The customized manufacture of all electrical enclosures and cabinets Delvallebox is carry out with the most advanced technical methods and with the precision and consciousness of a craftsman. This makes the difference from competitors and is the best way to gain our customers' trust.

In Delvallebox we bear in mind that customers perceive the quality very clearly. In every product (for instance, in the cabinets here presented) safety and useful solutions are what customers value most.



STAINLESS STEEL
INDUSTRIAL ENCLOSURES



OUTDOOR ELECTRICAL
ENCLOSURES



GLOBAL ELECTRICAL
SOLUTIONS FOR URBAN AREAS



GALVANIZED STEEL
ELECTRICAL ENCLOSURES

ATEX INDUSTRIAL ENCLOSURES



SLOPED ROOF
ENCLOSURES - HYGIENIC



INDUSTRIAL ENCLOSURES IP66, IP67, IP68 AND IP69K

Buy direct from manufacturer of custom made IP66, IP67, IP68 and IP69K heavy duty industrial and waterproof electrical enclosures AISI 304L and 316L made by standard IEC 60529. Delvalle has tested all sizes and dimensions of waterproof enclosures according to EN 60529:2018. All weather resistant enclosures are more than simply rainproof, they meet a minimum of Nema 4X and IP66, IP67, IP68 and IP69k requirements to ensure your electronics are protected. From Junction boxes to industrial enclosures, Delvalle weatherproof enclosures offer a wide range of sizes and styles to keep your project waterproof.



CLIMATE CONTROL COOLING FOR ENCLOSURES



CABLE GLANDS FOR
ELECTRICAL ENCLOSURES





Paso del Prao, 6. 01320 Oyón (Álava). Spain
Phone +34 945 601 381
comercial@delvalle.es | www.delvallebox.com
Contact us, we will be available at any time

